




The Way  
To Fish®



Scotty Fishing & Outdoor Products  
Sidney BC Canada





 SCOTTY'S FACTORY IS LOCATED ON BEAUTIFUL VANCOUVER ISLAND.

### Photo Credits

Page 21	Fishing with Rod Hsu
Page 24	Derek Ford Photography
Page 28	Derek Ford Photography
Page 32	Christopher Arnold
Page 34	Diablo Paddlesports
Page 39	NSP SUP
Page 40	Hobie Cat Co.
Page 46	Pelican Kayaks
Page 47	Stryker Boats
Page 48	Pelican Kayaks
Page 50	ISLE Surf & SUP
Page 53	Airheads SUP
Page 58	Stryker Boats

### Stay connected






	Facebook-@scottysfishingproducts
	Instagram-#scottysproducts
	Twitter-@scottysproducts
	YouTube-#scottysproducts
	www.scotty.com
	www.scottypaddlesports.com


# Contents

SCOTTY HISTORY	2
WHAT IS A DOWNRIGGER	4
CHOOSING THE RIGHT DOWNRIGGER	5
DOWNRIGGERS	6
high performance	8
depthpower	10
manual	12
compact	12
lake troller	12
DOWNRIGGER PARTS & ACCESSORIES	13
surestop pro	14
parts & accessories	17
cable and line	18
downrigger tackle	19
weight retriever	19
LINE RELEASES	20
power grip plus	20
mini power grip plus	21
snapper	21
mini snapper	21
hairtrigger	21
LINE PULLER	22
electric	22
manual	22
ROD HOLDERS	24
orca	26
striker	28
power lock	30
rodmaster & rodmaster II	31
rocket launcher	31
side winder	32
baitcaster spinning	34
fly rod	34
MOUNTS	36
downrigger mounts	37
compact downrigger mounts	37
downrigger dual rod holder	38
rod holder mounts & adapters	39
triple mounting system	41
electronic mounts	42
ball mounting system	46
low profile track	46
gear head	47
glue/stick on mounts	47
PADDLE SPORTS	48
kayak	50
stand up paddle board	50
ACCESSORIES	55
extensions & adapters	56
rod holder accessories	56
fishing accessories	58
anchor lock	59
boat accessories	59
SAFETY EQUIPMENT	60
lighting	61
first aid	61
pumps	61
SOCIAL MEDIA	62
JORDAN-SCOTTY	64
fish incubator systems	64





### Legend

	Water Surface
	Best suited for still water
	Vessel Recommendation
	Suited for paddle sports
	No assembly required
	Factory and field tested
	Colour options





## SINCE 1952



**OLD  
NUMBER  
"1"**  
Scotty's first  
molding  
machine

[illegible]

A family business for over 66 years, Scott Plastics Ltd. has grown from a local BC company to operating and shipping worldwide. The company is now situated near the YYJ Victoria International Airport in an 85,000 sq.ft. manufacturing plant built in 2000, and has recently expanded. The Scotty trademark has become recognized to mean product excellence. The total

commitment to quality, fair pricing and unmatched service means our customers everywhere can expect reliability and satisfaction from every product that carries the Scotty name. This commitment has taken us to where we are today and will hopefully serve us well for many years to come. All products are backed by years of manufacturing experience and the highest quality customer service. Excellent vendor support and a superior product have made Scotty a leader in the fishing industry.

In 1952, Blayney Scott and his wife Almeda Scott started a small company in Victoria, British Columbia that pioneered the use of plastics in the manufacturing of salmon fishing, lures and other marine products. From humble beginnings, Scott Plastics Ltd. evolved to produce thousands of products under the Scotty trademark which are sold to the fishing, marine, outdoor and firefighting industries worldwide.



# What is a Downrigger?

## FIGHT THE FISH, NOT THE FISHING GEAR


Downriggers were created for one principal reason: to allow anglers to troll their lures at a specific depth. Years of testing and practical use have shown that a moving bait or lure in the water, trolled at the depth where fish are present, is the best way to ensure a hookup and to get results. Downriggers improved both trolling results, and the fun factor they put the sport back in sport fishing. The earliest Downriggers were very simple in form, generally consisting

of a spool of wire mounted to the boat with a heavy weight hung on the end of the wire. The lure or bait was attached directly to the Downrigger weight and did not release when a fish struck. The angler had to wind up both the weight and the fish. This concept of deep trolling became popular with sport fishermen when the idea of attaching a rod to the Downrigger, by means of a release clip, was introduced. A release clip is attached to the wire and then the fishing line from the rod is clipped into the release. The Downrigger weight is then

lowered to precisely the depth required. When a fish hits, the line is released from the Downrigger wire, leaving the heavy weight on the Downrigger. The angler is then free to fight the fish on the rod and reel alone, without the added drag of heavy lines and trolling weights used in the past. Scotty introduced its first Downrigger over 40 years ago and now produces the most complete range of Downriggers and accessories in the world.



1. Clip your fishing line to the Downrigger line using the patented Scotty Power Grip line release.
2. Loosen the drag on your fishing reel and carefully let the Downrigger line out to a specific depth.



3. When a fish strikes it pulls your fishing line out of the release and you are free to fight the fish on the rod and reel.

## CHOOSING THE RIGHT ELECTRIC DOWNRIGGER

All Electric Models have 12 v Marinco™ corrosion resistant plug + socket, locking tilt up mount, large surface automatic brake, spray protected positive-drive depth counter, Kevlar™ belt driven and an auto stop with jog button feature. **EACH SCOTTY DOWNRIGGER IS FACTORY ASSEMBLED AND LOAD TESTED.**

	HIGH PERFORMANCE PAGE 6			DEPTHPOWER PAGE 8				
	2106	2106B	2116 PROPACK	1099	1101	1106	1106B	1116 PROPACK
STAINLESS STEEL CABLE <ul style="list-style-type: none"><li>premium test 150 lb.</li><li>premium test 180 lb.</li></ul>				250 ft.	250 ft.	250 ft.		250 ft.
	300 ft.		300 ft.					
BRAIDED LINE <ul style="list-style-type: none"><li>premium test 200 lb.</li><li>premium test 250 lb.</li></ul>							300 ft.	
16 POSITION SWIVEL MOUNTING BASE	✓	✓	✓	SOLD SEPARATELY	✓	✓	✓	✓
POWER GRIP PLUS LINE RELEASE MODEL NO.	1170	1170	1170 & 1171	1170	1170	1170	1170	1170 & 1171
ROD HOLDER MODEL	470 ROCKET LAUNCHER	470 ROCKET LAUNCHER	447 DUAL ROCKET LAUNCHER	355 RODMASTER II	358 RODMASTER II	358 RODMASTER II	358 RODMASTER II	247 DUAL ROD HOLDER
WEIGHT STORAGE HOOK	✓	✓	✓	SOLD SEPARATELY	SOLD SEPARATELY	SOLD SEPARATELY	✓	✓
STAINLESS STEEL BOOM LENGTH	36" - 60" TELESCOPIC	36" - 60" TELESCOPIC	36" - 60" TELESCOPIC	24" FIXED	30" FIXED	36" - 60" TELESCOPIC	36" - 60" TELESCOPIC	36" - 60" TELESCOPIC
LIMITED ***** LIFETIME WARRANTY	HIGH PERFORMANCE			DEPTHPOWER				
	Weight 12lb. 15lb. 20lb.			Weight 7 lb. 10lb. 15lb.				
	Retrieval Speed 304 ft./min. 295 ft./min. 260 ft./min.			Retrieval Speed 235 ft./min. 222 ft./min. 203 ft./min.				
	Amperage Draw 13 amps 14.5 amps 19.5 amps			Amperage Draw 4 amps 5 amps 8 amps				

## CHOOSING THE RIGHT MANUAL DOWNRIGGER













	MANUAL PAGE 10			COMPACT PAGE 12			LAKETROLLER PAGE 13	
	1080 STRONGARM	1085 STRONGARM	1091 LONGARM COMBO PACK	1050 DEPTHMASTER	1050MP MASTERPACK	1060 DEPTHKING	1071 CLAMP MOUNT	1073 BRACKET MOUNT
PREMIUM 150 LB. TEST STAINLESS STEEL CABLE	200 ft.	200 ft.	200 ft.	200 ft.	200 ft.	200 ft.	100 ft.	100 ft.
LOCKING TILT-UP MOUNT	✓	✓	✓	N/A	N/A	N/A	N/A	N/A
POWER GRIP PLUS LINE RELEASE MODEL NUMBER	1170	1170	1170	1170	1170	1170	1181 Mini Grip	1181 Mini Grip
ROD HOLDER MODEL	355 RODMASTER II	358 RODMASTER II	358 RODMASTER II	355 RODMASTER II	355 RODMASTER II	355 RODMASTER II	N/A	N/A
WEIGHT STORAGE HOOK	SOLD SEPARATELY	SOLD SEPARATELY	SOLD SEPARATELY	N/A	N/A	N/A	N/A	N/A
STAINLESS STEEL BOOM - LENGTH	24" FIXED	30" FIXED	36"- 60" TELESCOPIC	23" FIXED	23" FIXED	23" FIXED	12" FIXED	12" FIXED
LARGE SURFACE AUTOMATIC BRAKE	✓	✓	✓	✓	✓	✓	MANUAL DRAG BREAK	MANUAL DRAG BREAK
SPRAY PROTECTED POSITIVE-DRIVE DEPTH COUNTER	✓	✓	✓	✓	✓	✓	N/A	N/A
SPOOL DIAMETER FT. PER TURN	2 ft.	2 ft.	2 ft.	1 ft.	1 ft.	2 ft.	1 ft.	1 ft.




# High Performance

Scotty High Performance Electric Downriggers have reached the highest performance and reliability standards yet, while remaining competitively priced. Thousands of anglers now enjoy the superior speed, power and years of reliability that only Scotty offers. Scotty's custom designed marine components and final quality control tests produce a Downrigger that is unmatched in the industry.

## FEATURES INCLUDED WITH ALL HIGH PERFORMANCE MODELS

-  **Line Release**  
Power Grip Plus 18" (1170)
-  **Rod Holder**  
Rocket Launcher (469)
-  **Mounts**  
Tilt-up Mounting Bracket (1023)  
  
Swivel Mount (1026)  
  
Right Angle Marinco® Receptacle Mount (2128)
-  **Auto Stop** (1121)
-  **Auto Stop Beads (pcs)**
-  **Weight Storage**  
Storage Hook (1148)
-  **Power Source**  
Marinco® 12V Plug & Receptacle (2125)  
  
Power cord length, 40"
-  **Downrigger Cable/Line**  
300 ft. of 180 lb. test stainless steel cable, 300 ft. of 250 lb. test braided line (2106B model)
-  **Counter**  
Illuminated LCD (2132)
-  **Factory & Field Tested**
-  **Fully Assembled**
-  **Warranty**  
Limited Lifetime



# DOWNRIGGERS



**2106 HIGH PERFORMANCE**  
The Downrigger of choice for serious fishermen. Unmatched in power, performance and reliability. Equipped with 300 ft. of 180 lb. test stainless steel cable. 36"-60" 1 1/4" telescopic stainless steel boom.

**2106B HIGH PERFORMANCE**  
Power and performance packaged with our strongest braided Downrigger line. Equipped with 300 ft. of 250 lb. test braided line. 36"-60" 1 1/4" telescopic stainless steel boom.

**2116 HIGH PERFORMANCE PROPACK**  
The number one choice in performance Downriggers for the charter captain. Equipped with 300 ft. of 180 lb. test stainless steel cable and our stainless steel rocket launcher dual rod holder. 36"-60" 1 1/4" telescopic stainless steel boom.





# DEPTHPOWER

Scotty Depthpower Electric Downriggers have the highest performance and reliability standards ever, while remaining competitively priced. Thousands of fishermen now enjoy the superior speed, power and years of reliability that only Scotty offers. From custom designed marine motors to the final quality control tests, Scotty performance is unmatched in the industry.

## FEATURES INCLUDED WITH ALL DEPTHPOWER MODELS

 **Line Release**  
Power Grip Plus 18" (1170)

 **Rod Holder**  
Rod Master II (358)

 **Mounts**  
Tilt-up Mounting Bracket (1023)

Swivel Mount (1026),  
(except 1099 model)

Right Angle Marinco® Receptacle Mount (2128)


 **Auto Stop** (1121)

 **4 Auto Stop Beads**

 **Weight Storage**  
Storage Hook (1148)  
(1106B & 1116 only)

 **Power Source**  
Marinco® 12V Plug & Receptacle (2125)

Power cord length, 40"

 **Downrigger Cable/Line**  
250 ft. of 150 lb. test stainless steel cable. 300 ft. of 200 lb. test braided line (1106B model only)

 **Counter**  
Mechanical (1145)

 **Factory & Field Tested**

 **Fully Assembled**

 **Warranty**  
Limited Lifetime



## DOWNRIGGERS



**1099 COMPACT**  
All the performance features in an easy to stow compact size. Equipped with 250 ft. of 150 lb. test stainless steel cable. 24" long, 1" dia. boom.



**1101 DEPTHPOWER**  
Designed for heavy duty use, this unit will handle long hours and heavy weights in tough conditions. Equipped with 250 ft. of 150 lb. test stainless steel cable. 30" long, 1 1/4" dia. boom.



**1106 DEPTHPOWER**  
Our most popular electric Downrigger. Equipped with 250 ft. of 150 lb. test stainless steel cable. 36"-60" long, 1 1/4" dia. telescopic boom.



**1106B DEPTHPOWER**  
All the features you have come to love with our depthpower series. Now available with more options than ever. Equipped with 300 ft. of 200 lb. test braided line. 36"-60" long, 1 1/4" dia. telescopic boom. Included, Downrigger weight storage hook and sure-stop kit.



**1116 PROPACK**  
The top choice of charter captains. Equipped with 250 ft. of 150 lb. test stainless steel cable. 36"-60" long, 1 1/4" dia. telescopic boom. Heavy duty adjustable dual rod holder also included.














# Manual

Scotty Manual Downriggers have been the preferred choice of anglers for over forty years. They are engineered with a number of exclusive features contained in no other Downrigger.

## FEATURES INCLUDED WITH ALL MANUAL MODELS

-  **Line Release**  
Power Grip Plus 18" (1170)
-  **Rod Holder**  
Rod Master II (358)
-  **Mounts**  
Tilt-up Mounting Bracket (1023)
-  **Downrigger Cable/Line**  
250 ft. of 150 lb. test stainless steel cable.
-  **Counter**  
Mechanical (1146)
-  **Factory & Field Tested**
-  **Fully Assembled**
-  **Warranty**  
Limited Lifetime



# DOWNRIGGERS



**1080 STRONGARM**  
This Downrigger has outstanding features for small and intermediate size boats. Equipped with 200 ft. of 150 lb. test stainless steel cable. 24" long, 1" dia. boom.



**1085 STRONGARM**  
The heavy duty workhorse of the Scotty manual lineup. Excellent for the intermediate size boat. Equipped with 200 ft. of 150 lb. test stainless steel cable. 30" long 1 1/4" dia. boom.



**1091 LONGARM**  
Ideal for big boats. Equipped with 200 ft. of 150 lb. test stainless steel cable. 36-60" long 1 1/4" dia. telescopic boom. Includes 1026 Swivel Mount..





# Compact

The Depthmaster and Depthking models offer more value for the anglers than anything else on the market. The price and operating features of these units beat the competition hands down.

## FEATURES INCLUDED WITH ALL MANUAL MODELS

- Line Release**  
Power Grip Plus 18" (1170)
- Rod Holder**  
Rod Master II (358)
- Mount**  
Quick-Slide Deck Mounting Bracket (1010)
- Downrigger Cable/Line**  
250 ft. of 150 lb test stainless steel cable.
- Counter**  
Mechanical (1146)
- Factory & Field Tested**
- Fully Assembled**
- Warranty**  
Limited Lifetime



### 1050 DEPTHMASTER

The perfect introductory Downrigger. One foot per turn of the spool. Equipped with 200 ft. of 150 lb. test stainless steel cable. 23" long, 3/4" dia. boom.

### 1050MP MASTERPACK

The 1050 Depthmaster equipped with 200 ft. of 150 lb. test stainless steel cable. 23" long, 3/4" dia. boom. Includes 1021 portable anodized aluminum clamp mount for added versatility.



### 1060 DEPTHKING

Ideal for the small boat that fishes deep and needs a high speed retrieve. Includes a high speed 2 ft. per turn of the spool. Equipped with 200 ft. of 150 lb. test stainless steel cable. 23" long, 3/4" dia. boom.

# Lake Troller

Laketroller Downriggers built for the smaller boat. Great for aluminum boats, kayaks and canoes.




### 1071 CLAMP MOUNT

Comes with fully portable engineering grade modified nylon clamp for mounting on the gunnel or transom (2" opening). Great for aluminum boats and canoes. 1 ft. per turn of the spool. Includes 1181 mini power grip line release.

### 1073 BRACKET MOUNT

Mounting bracket permits mounting on a flat deck surface or on the side of a gunnel or transom. The mounting design gives 360° of rotation. Comes with a 241 Side Deck mount. 1 ft. per turn of the spool. Includes 1181 mini power grip line release.

The sure stop turns off your electric Downriggers auto stop at the same spot every time. The tuna cord provides a secure hold for your self-locating snap and is easier on your hands when pulling your gear to the boat. The Scotty Snubber absorbs shock, provides electrical insulation and helps prevent snags (model's 377 & 378). The stainless steel split ring prevents your 3025 weight retriever from sliding off your cable (3025 sold separately.) Tubing has been added to provide protection against abrasion in high wear areas.



# SURE STOP PRO



### 375 SURE STOP PRO

for 30" Downrigger boom.



### 376 SURE STOP PRO

for 60" Downrigger boom.



### 377 SURE STOP PRO

for 30" Downrigger boom with Snubber.



### 378 SURE STOP PRO

for 60" Downrigger boom with Snubber.




# Downrigger Parts & Accessories



**2127**  
MARINCO® 12V DOWNRIGGER PLUG



**2126**  
MARINCO® 12V DOWNRIGGER RECEPTACLE  
**2125**  
MARINCO® 12V DOWNRIGGER PLUG AND RECEPTACLE (2127/2126)



**2128**  
RIGHT ANGLE RECEPTACLE MOUNT  
For Marinco® Downrigger Receptacle.



**1127**  
HELLA ELECTRIC PLUG  
**1126**  
HELLA ELECTRIC SOCKET  
**1125**  
HELLA ELECTRIC PLUG AND SOCKET  
Maximum 12 volt 18 amp applications.



**1133**  
12 FT. PREMIUM TINNED COPPER 12 GAUGE 2 CONDUCTOR POWER WIRE



**1124**  
30 AMP MARINE IN-LINE FUSE HOLDER  
Fuse included.

# Spare Parts & Accessories



**1140**  
FAIRLEAD FOR 3/4" DOWNRIGGER BOOM  
**1141**  
FAIRLEAD FOR 1" DOWNRIGGER BOOM  
**1149**  
FAIRLEAD FOR 1 1/4" DOWNRIGGER BOOM



**1035**  
1" REPLACEMENT MOUNTING BOLTS (2 pcs)  
**1135**  
2" REPLACEMENT MOUNTING BOLTS (2 pcs)



**1139**  
DOWNRIGGER PULLEY UPGRADE  
**1014**  
DOWNRIGGER PULLEY REPLACEMENT KIT



**1128**  
SPARE DRIVE BELTS  
For 2 belt Depthpower Downriggers, 2000 models and earlier, dual belt model.



**1147**  
DOWNRIGGER WEIGHT HOOK  
For 1" boom.  
**1148**  
DOWNRIGGER WEIGHT HOOK  
For 1 1/4" boom.



**1142**  
MANUAL DOWNRIGGER HANDLE



**3134**  
DOWNRIGGER LOCKING PLATES  
For electric or manual downrigger (locks not included).



**1017**  
DOWNRIGGER LEAD WEIGHT  
3 lb. finned.



**1034**  
4 1/2" DOWNRIGGER MOUNTING BOLT  
2000 models and earlier.  
**1134**  
6" DOWNRIGGER MOUNTING BOLT  
2001 models and later.



**3022**  
WEIGHT MATE  
Holds your Downrigger weights securely.  
(2 pcs).  
○●



**1129**  
SPARE DRIVE BELT  
For 1 belt Depthpower Downriggers, 2001 models and later.



**1158**  
DEPTHPOWER DOWNRIGGER SPARE PARTS KIT  
**1159**  
HIGH PERFORMANCE DOWNRIGGER SPARE PARTS KIT





# Downrigger Parts & Accessories



**1131**  
DEPTHPOWER REPLACEMENT LID



**2131**  
HIGH PERFORMANCE REPLACEMENT LID WITH DIGITAL COUNTER



**1024**  
MANUAL COUNTER COVER



**1145**  
DEPTHPOWER COUNTER WITH BASE



**2132**  
HIGH PERFORMANCE DIGITAL COUNTER



**1146**  
MANUAL COUNTER WITH BASE



**1132**  
EMERGENCY CRANK HANDLE  
For Electric Downriggers.

# DOWNRIGGER CABLE & LINE



**1000 SERIES**  
Premium Stainless Steel  
Downrigger Cable



**2000 SERIES**  
Heavy Duty Braided  
Downrigger Line




**2400 SERIES**  
High Performance  
Stainless Steel  
Downrigger Cable



**2700 SERIES**  
Premium Braided  
Downrigger Line



**2800 SERIES**  
Low Drag Braided  
Downrigger Line




1000 SERIES	2200 SERIES	2400 SERIES	2700 SERIES	2800 SERIES
150 lb. TEST	250 lb. TEST	180 lb. TEST	200 lb. TEST	150 lb. TEST
PREMIUM STAINLESS STEEL DOWNRIGGER CABLE	HEAVY DUTY BRAIDED DOWNRIGGER LINE	HIGH PERFORMANCE STAINLESS STEEL DOWNRIGGER CABLE	PREMIUM BRAIDED DOWNRIGGER LINE	LOW DRAG BRAIDED DOWNRIGGER LINE
1000 200 ft.				
1001 300 ft.				
1002 400 ft.				
1000K 200 ft. with terminal kit	2200K 200 ft. with terminal kit	2400K 200 ft. with terminal kit	2700K 200 ft. with terminal kit	2800K 200 ft. with terminal kit
1001K 300 ft. with terminal kit	2201K 300 ft. with terminal kit	2401K 300 ft. with terminal kit	2701K 300 ft. with terminal kit	2801K 300 ft. with terminal kit
1002K 400 ft. with terminal kit	2202K 400 ft. with terminal kit	2402K 400 ft. with terminal kit	2702K 400 ft. with terminal kit	2802K 400 ft. with terminal kit



# Downrigger Parts & Accessories



**2008** (6 pcs)  
**2008-24** (24 pcs)  
**AUTO STOP BEADS**  
For braided line.



**1008**  
**STOPPER BEADS**  
For stainless steel cable (3 yellow & 3 black).



**1008-24-BK** (24 pcs)  
**1008-24-YL** (24 pcs)  
**STOPPER BEADS**  
For stainless steel cable.



**1004**  
**CONNECTOR SLEEVES**  
(10 pcs).



**1157**  
**STAINLESS STEEL THIMBLE KIT**  
(2 pcs).



**1154**  
**TERMINAL KIT**



**1150**  
**225 LB. TEST COASTLOCK SNAPS**  
(2 pcs)



**1151**  
**350 LB. TEST COASTLOCK SNAP WITH SAMPO® SWIVEL**



**1152**  
**LARGE COASTLOCK SNAPS**  
(2 pcs).



**1153**  
**TERMINAL KIT**



**1011**  
**DOUBLE LINE CONNECTOR SLEEVES**  
(10 pcs).



**1007**  
**RELEASE CLIP LOCATORS**  
(10 pcs).



**1038**  
**CABLE COUPLER**



**1039**  
**SOFT STOP BUMPERS**  
For snap hooks (4 pcs).



**1009**  
**INSULATING DOWNRIGGER WEIGHT SWIVEL HOOKS**  
(2 pcs).



**373**  
**DIVER SNUBBER**  
(2 pcs).



**1161**  
**DUMMY FLASHER RIG**  
(2 pcs).



**374**  
**SURE STOP ELECTRIC DOWNRIGGER STOPPER SYSTEM**



**370**  
**TROLLING SNUBBER WITH BALL BEARING SWIVEL**  
With Self Locating Snap.



**371**  
**TROLLING SNUBBER WITH TROLLING SNAP**  
With Self Locating Snap.



**1156**  
**3" SELF LOCATING SNAP**  
Stainless steel (2 pcs).

**1155**  
**5" SELF LOCATING SNAP**  
Stainless steel (2 pcs).

## Weight Retriever

**3025**  
**DOWNRIGGER WEIGHT RETRIEVER**  
A safety precaution for the downrigger fisherman. Brings your weight in for rigging lines and releases without having to lean out over the gunnel.





# Line Releases



1. Attach the Cannonball snap to the Cannonball.
2. Attach your fishing line to the Power Grip release by squeezing the jaws apart and placing your fishing line between the pads. The release tension is lighter at the outer tip, and is heavier the further into the jaws you place the line.
3. The tension adjuster can be moved forward to decrease or back to increase the release tension.

## Power Grip Plus



**1170 18"**  
**POWER GRIP PLUS**  
Monofilament leader with Cannonball Snap.



**1171 18"**  
**1172 30"**  
**1173 48"**  
**1178 60"**  
**POWER GRIP PLUS**  
Monofilament leader with Self Locating Snap.



**1176 6"**  
**1179 30"**  
**1191 48"**  
**1192 60"**  
**POWER GRIP PLUS**  
Stacker with monofilament leader and Cannonball Snap.

## Mini Power Grip Plus



**1177**  
**POWER GRIP PLUS**  
Planer Board Snap.



**1181 18"**  
**MINI POWER GRIP PLUS**  
Wire leader with Cannonball Snap.



**1180 18"**  
**1183 30"**  
**MINI POWER GRIP PLUS**  
Wire leader with Self Locating Snap.



**1190**  
**POWER GRIP PLUS PADS**  
(6 pcs).



**1182**  
**MINI POWER GRIP PLUS**  
Planer Board Snap (4 pcs).



## Snapper



**1041 18"**  
**1049 30"**  
**1040 48"**  
**SNAPPER RELEASE CLIP**  
Monofilament leader with Self Locating Snap.



**1042 18"**  
**SNAPPER RELEASE CLIP**  
Monofilament leader with Cannonball Snap.



**1043**  
**SNAPPER RELEASE CLIP**  
Planer Board Snap.

## Mini Snapper



**1045 7"**  
**SNAPPER RELEASE CLIP**  
Wire leader with Cannonball Snap.



**1160 6"**  
**SNAPPER RELEASE CLIP**  
Stacker with monofilament leader and Cannonball Snap.



**1048**  
**MINI SNAPPER RELEASE CLIP**  
Planer Board Snap (4 pcs).



**1046 18"**  
**MINI SNAPPER RELEASE CLIP**  
Monofilament leader with Self Locating Snap.



**1047 18"**  
**MINI SNAPPER RELEASE CLIP**  
Monofilament leader with Cannonball Snap.



**1022**  
Extra pins for all hairtrigger release clips (3 pcs).



**1020**  
**HAIRTRIGGER RELEASE CLIP**  
Release clip attaches directly to the Downrigger line. Simple and effective.



**1006**  
Extra Pins for Original Plug Style Downrigger Release (3 pcs).



**1005**  
Original Style Downrigger Release.



IDEAL FOR  
USE WITH  
BRAIDED  
LINE












# Line Puller

High torque 12v motor pulls 1 crab trap and up to 4 prawn traps. 120 fpm retrieval speed. 19 amp draw at 50 lbs. Accommodates 1/4" - 3/8" line. Compact size makes for easy stowing. Heavy duty stainless steel and composite construction. Easy access on/off switch. Scotty/Marinco® plug, receptacle and mount included. 40" power cable length. For recreational use only.

## FEATURES INCLUDED WITH ALL HIGH PERFORMANCE MODELS

-  **Mounts**  
Non-tilting Mounting Bracket (1023)
-  **Power Source**  
Marinco® 12V Plug & Receptacle (2125)
-  **Power Cord**  
length, 40"
-  **Ampage Power**  
19 amp draw at 50 lbs.
-  **Factory & Field Tested**
-  **Fully Assembled**
-  **Warranty**  
2 year

## Trap-Ease

Crab and prawn trap roller for easy retrieval. Fits all Scotty post mounts.



**749**  
**TRAP-EASE**  
No mount.



**750**  
**TRAP-EASE**  
241 Side Deck Mount.



**2515**  
**LINE PULLER STOW-AWAY BAG**  
This durable stow-away bag protects your Scotty Line Puller from the elements when not in use.



**2500**  
**LINE PULLER**  
The ultimate crab and prawn trap pulling machine.



## LINE PULLER & TRAP-EASE





# Rod Holders

The inner sleeve opens in one complete motion allowing your rod to be released in an instant. With one quick motion, your fishing rod is lifted straight out into the fish fighting position. Built-in front locking tab to prevent rod loss while traveling.

ORCA



**400**  
241 L Locking Side Deck Mount.



**405**  
459 Double Ended Extender.



**401**  
241 L Locking Flush Deck Mount.



UNLOCKED



LOCKED



# Rod Holders

STRIKER

Designed and built tough for Salmon, Muskie, Halibut, Sturgeon, and other big game fish. Stainless steel reinforced post with an oversized opening and easy lock/unlock ring. The inner support rotates with the rod to instantly remove and strike simultaneously. All post mount Scotty Rod Holders are fully adjustable.

STRIKER



239  
No mount.



240  
241 Side Deck Mount.



246  
244 Flush Deck Mount.



UNLOCKED



LOCKED





# Rod Holders

Scotty's most popular value-priced, positive-locking, open style rod holder. Universal cradle holds almost any reel type and has a front locking ring to prevent rod loss while traveling. Fibre reinforced engineering grade nylon provides strength, resilience and reliability.



**229**  
No mount.



**230**  
241 Side Deck Mount.  
○○●



**231**  
244 Flush Deck Mount.  
○○●



**339**  
449 Clamp and 241 Mount.  
(maximum clamp opening 2").



**330**  
259 Height Extender and 241 Mount.



**256**  
Triple with 257 and 241 Mounts.



UNLOCKED



LOCKED

## POWER LOCK





Rod Holders



**250**  
241 Side Deck Mount.



**251**  
244 Flush Deck Mount.



**255**  
Fits ¾" and 1" Scotty Downrigger booms.



**258**  
Fits 1¼" Scotty Downrigger booms.



**350**  
241 Side Deck Mount.



**351**  
244 Flush Deck Mount.



**349**  
No mount.



**355**  
Fits ¾" and 1" Scotty Downrigger booms.



**358**  
Fits 1 ¼" Scotty Downrigger booms.

ROCKET LAUNCHER & SIDE WINDER



**469**  
No mount.



**470**  
241L Locking Side Deck Mount.



**471**  
244L Locking Flush Mount.



**473**  
344 Round Flush Deck Mount.



**477**  
244 Flush Mount.



**476**  
241 Side Deck Mount.



**478**  
344 Round Flush Deck Mount.



**479**  
No mount.



**222**  
SIDEWINDER  
5/16" stainless steel construction. 237  
Triggerlock mount Included.

**223**  
SIDEWINDER  
no mount (not shown).



# Rod Holders

Holds a bait caster reel securely in the cushioned cradle. A slot in the front of the rod holder allows for secure holding of a spinning reel. This rod holder is designed with a side mounted flange which leaves the bottom open, this allows for the rod holder to accommodate trigger grips. Rods can be secured with a soft latching strap which snaps over the top for baitcaster or under the bottom for spinning reels.



# BAITCASTER SPINNING



**279**  
No mount.



**280**  
241 Side Deck Mount.  
○○●



**282**  
438 Gear Head and 440-4 Track.



**284**  
243 1 1/4 Square Rail Mount.




**281**  
244 Flush Deck Mount.



**389**  
449 Clamp and 241 Mounts.  
Maximum clamp opening 2".



**388**  
429 Gear Head Mount Extender with  
241 Mount.





Rod Holders

FLY ROD

Innovative compact design allows for hands free trolling with a Fly Rod. Rod can be secured in holder with a soft latching strap which snaps over the top. Works well with “short butt” fly rods. All post mount Scotty Rod Holders are fully adjustable.



260  
No mount.



264  
244 Flush Deck Mount.



265  
241 Side Deck Mount.



267  
241 and Float Tube Mounts.





Mounts



**1027  
RAIL MOUNT**  
Fits up to 1 ½" round rails, including oval-shaped wooden rails. Transfers the downward pressure to the boat gunnel. Fits all Scotty Downriggers (except Laketrollers) and can be used with 1026 Swivel Mount.  
**Dimensions:** 6 ⅛" x 7 ⅞"



**1036  
MOUNTING PLATE**  
Extra mounting plate for 1026 Swivel Mount and 2606/2612 Pedestal Risers.  
**Dimensions:** 5 ½" x 5 ½"  
**Bolting dimensions:** 4 ½" x 3 ½"



**1037  
MOUNTING PLATE**  
Extra mounting plate for 1025 Right Angle Side Gunnel Mount.  
**Bolting dimensions:** 2"x 4" (side plate)



**1023  
TILT-UP MOUNTING BRACKET**  
Extra mounting bracket for all Scotty tilt-up Downriggers. Also used as the mounting bracket for the Scotty 2500 Line Puller.  
**Dimensions:** 2 ½" x 4 ½"  
**Bolting dimensions:** 3 ¾" x 1 ⅝"



**1025  
RIGHT ANGLE SIDE GUNNEL MOUNT**  
For boats with narrow or uneven gunnels. Fits all Scotty Downriggers (except Laketrollers) and can be used with 1026 Swivel Mount.  
**Dimensions:** 6" x 6" x 6" (top plate)  
**Bolting dimensions:** 2"x 4" (side plate)



**1026  
SWIVEL MOUNT**  
Gives a full 360° of rotation with 16 locking positions. Comes with 1036 Mounting Plate. Fits all Scotty Downriggers (except Laketrollers).  
**Dimensions:** 5 ½" x 5 ½" x 4"  
**Bolting dimensions:** 3 ½" x 4 ½"



**2027  
STANCHION MOUNT**  
The Scotty Stanchion Mount enables you to quickly mount a Downrigger to your boats' railing stanchion for extra stability. Fits all Scotty Downriggers (except Laketrollers) and can be used with 1026 Swivel Mount.  
**Dimensions :** 6" x 6" x 6" (top plate)  
**Bolting Dimensions:** 2"x 4" (side plate)



**1028/1029  
GIMBAL MOUNT - 9"  
GIMBAL MOUNT - 12"**  
Made from welded stainless steel for strength and durability. For use in factory mounted gimbal rod holders only. Fits all Scotty Downriggers (except Laketrollers) and can be used with 1026 Swivel Mount.  
**Dimensions:** 1028 6 ⅞" x 7 ⅞" (top plate)  
9" x 1 ½" dia. (gimbal)  
1029 6 ⅞" x 7 ⅞" (top plate)  
12" x 1 ¾" dia. (gimbal)



**2606/2612  
PEDESTAL RISER - 6"  
PEDESTAL RISER - 12"**  
Made from 2" stainless steel tubing for the ultimate in strength and durability. Designed to be used with 1026 Swivel Mount., 1023 tilt-up Downrigger mount and 1010 compact Downrigger mount.  
**Plate Dimensions:** 5 ½" x 5 ½"  
**Bolting Dimensions:** 3 ½" x 4 ½"



**1021  
PORTABLE CLAMP-ON BRACKET**  
Portable mounting option. Great for aluminum boats. Double stainless steel bolts and black anodized aluminum. 2" clamp opening. To be used with 1010 mounting bracket (not included).  
**Dimensions:** 5 ⅝" x 4 ¾" x 3 ⅝"



**1015  
SIDE MOUNT BRACKET**  
For boats with narrow or uneven gunnels. Fits 1050 Downriggers. To be used with 1010 mounting bracket (not included).  
**Dimensions:** 5 ¼" x 2 ½"  
**Bolting Dimensions:** 4 ⅞" x 1 ⅝"



**1010  
QUICK-SLIDE DECK MOUNTING BRACKET**  
Works with the 1025 through 1029 optional mounts.  
**Dimensions:** 4 ¾" x 5 ⅝"  
**Bolting Dimensions:** 2 ⅝" x 4 ⅞"

COMPACT DOWNRIGGER MOUNTS

DOWNRIGGER DUAL ROD HOLDER



**247  
DUAL ROD HOLDER**  
Designed for use with the 1026 Swivel Mount.



**347  
DUAL EXTENDED ROD MASTER II ROD HOLDER**  
Designed for use with the 1026 Swivel Mount.



**447  
DUAL ROCKET LAUNCHER ROD HOLDER**  
Designed for use with 1026 Swivel Mount.



# Mounts



**241**  
**SIDE DECK MOUNT**  
Can be mounted on top or side of your gunnel.  
○○●



**241L**  
**LOCKING SIDE DECK MOUNT**  
A 241 mount with an easy to use lock and unlock push button system.



**344**  
**ROUND FLUSH DECK MOUNT**  
Sealed base for watertight applications.



**243**  
**1 1/4" SQUARE RAIL MOUNT**



**245**  
**1 1/4" ROUND RAIL MOUNT**



**287**  
**7/8" ROUND RAIL MOUNT**



**248**  
**OARLOCK MOUNT**  
Use the oarlock mount on your row boat to mount any post mount rod holder or accessory.



**444**  
**COMPACT THREADED DECK MOUNT**  
Use on gunnels up to 2" thick. Base cap for water tight applications.



**449**  
**CLAMP MOUNT**  
Fully portable mounting option for all Scotty post mount rod holders and accessories, maxium clamp opening 2".



**244**  
**FLUSH DECK MOUNT**  
Sealed base for watertight applications.  
○○●



**244L**  
**LOCKING FLUSH DECK MOUNT**  
Locks and unlocks your post mount product easily by sliding a lever.



**433**  
**COAMING/GUNNEL CLAMP MOUNT**  
Position your rod holder or accessory virtually anywhere on the lip of your kayaks coaming or boat gunnel, maxium clamp opening 1 1/2".



**237**  
**TRIGGERLOCK**  
Designed for 222 Sidewinder Rod Holder and 1015 Right Angle Mount.



**238**  
**RAIL MOUNT ADAPTER**  
Works in conjunction with 237 Triggerlock Mount to clamp to a 7/8" and 1" round rail.



**441**  
**BACKING PLATE**  
Use the Backing Plate to add structural support when attaching the 241L or 241 Side Deck mounts or the 244L or 244 Flush Deck mounts to a thin-walled watercraft.



**242**  
**RAIL MOUNT ADAPTER**  
Works in conjunction with 241 Side Deck mount, not included.  
○○●



**340**  
**TRACK ADAPTER**  
Enables you to use all Scotty rod holders with 3 1/2" wide track systems.



**423**  
**DOWNRIGGER ROD HOLDER ADAPTER**  
In combination with a 241 or 241L Side Deck Mounts, easily place the 423 Downrigger Rod Holder Adapter on top of a 1023 Tilt-up Mounting Bracket and select your favourite rod holder to attach.

# POST MOUNTS

## TRIPLE MOUNTING SYSTEM

Designed to be a multi-functional rod holder or accessory platform for any watercraft.




**257**  
**TRIPLE MOUNT**  
241 Side Deck Mount.



**362**  
**TRIPLE MOUNT**  
Fixed mount.







# Mounts

## ELECTRONIC MOUNTS



**368**  
**UNIVERSAL SOUNDER  
FISHFINDER MOUNT**  
This uses a multi pattern universal top plate  
and the post mount design for quick removal  
and adjustable rotation.



**268**  
**FLOAT TUBE FISHFINDER MOUNT**  
Adapt a fishfinder to your float tube or  
pontoon boat. Includes transducer bracket  
and 6' strap.



**135**  
**CAMERA MOUNT**  
This mount is fully twistable, turnable,  
rotatable and best of all, instantly portable.  
Locks down a sport or standard camera  
without needing a special adapter.



**272**  
**SWIVEL FISHFINDER MOUNT**  
Mount only.



**269**  
**SWIVEL FISHFINDER MOUNT**  
241 Side Deck Mount.



**270**  
**SWIVEL FISHFINDER MOUNT**  
244 Flush Deck Mount.



**140**  
**TRANSDUCER ARM**  
412 Post and 241 Side Deck Mount.



**141**  
**TRANSDUCER ARM**  
438 Gear Head and 440-4" Low Profile Track.

## Transducer Mounts

Designed for kayaks and  
small boats. Made from  
high strength composite  
materials. 415 slip disks  
for micro adjustments.  
Adjustable arm allows for  
multiple depths and angles.  
Collapses easily for storage.



# BALL MOUNTING SYSTEM





Ball Mounts

1"

The ball joint design enables a smooth, full range of motion. The corrosion proof construction of this system provides a long service life in both fresh and salt water applications. Ideal for cup holders, cameras and other lightweight accessories. The Scotty 151 & 152 provides a mounting receptacle for a variety of Scotty post mount accessories. The Gear Heads effortless drop and lock system allows the user to secure and re-position post mount accessories with just a twist.

1.5 INCH

1.5"

All of the things you love about our 1" ball mounting system just got bigger. The newest edition to our ball mounting system is our 1 ½" ball mount. The bigger ball design gives you a much greater clamping force for larger accessories while still having a smooth full range of motion. The 163 top plate has been designed to accept large fish finders. Click and lock any Scotty post mount accessory into the 162 Gear Head. Designed for use with Scotty rod holders.



150  
1" BALL MOUNT UNIVERSAL MOUNTING PLATE



151  
1" BALL MOUNT GEAR HEAD AND TRACK



152  
1" BALL MOUNT GEAR HEAD, POST AND SIDE DECK MOUNT



162  
1 ½" BALL MOUNT GEAR HEAD, POST AND SIDE DECK MOUNT



163  
1 ½" BALL MOUNT LARGE SOUNDER PLATE, POST AND SIDE DECK MOUNT



# Mounts & Track

Made from corrosion proof high strength composite materials that will last a lifetime. The lowest profile track on the market. Top load design for quick and easy use. Use the 438 Gear head Track adaptor to mount all of your favourite rod holders and accessories.

440-1  
1" LOW  
PROFILE  
TRACK

Dimensions:  
3½" L x 1¾" W x ⅜" H

Bolting Dimensions:  
1¾" x 1⅞"

440-4  
4" LOW  
PROFILE  
TRACK

Dimensions:  
7" L x 1¾" W x ⅜" H

Bolting Dimensions:  
1¾" x 1⅞"

440-8  
8" LOW  
PROFILE  
TRACK


Dimensions:  
10¾" L x 1¾" W x ⅜" H

Bolting Dimensions:  
1¾" x 1⅞"



## Gear Head

Quick and easy, drop and lock system. Allows you to secure and reposition your rod holder or accessory with just a twist. Fits all Scotty post mount rod holders and accessories.




**438**  
GEAR HEAD TRACK ADAPTER

Use the Track Adaptor with the 440 Low Profile Track for quick and easy install and removal of your favourite Scotty post mount product.



**426**  
SIDE SLIDE TRACK ADAPTER

Our unique track adaptor allows you to securely fasten your favourite post mount product to a side mounted track.



**428**  
GEAR HEAD MOUNT

Use in conjunction with any of our height extenders to bring your rod or accessory closer to you.

# Gear Head & Glue/Stick On Mounts



**342**  
GLUE/STICK ON PADDLE CLIP



**341**  
GLUE ON MOUNT



**345**  
2" GLUE/STICK ON MOUNT



**442**  
3" GLUE/STICK ON MOUNT  
309 Cup Holder Button.



**348**  
3" GLUE/STICK ON MOUNT



**443**  
3" GLUE/STICK ON MOUNT  
Flexible D-Ring.



**445**  
2" GLUE/STICK ON MOUNT  
438 Gear Head.



**448**  
3" GLUE/STICK ON MOUNT  
438 Gear Head.





Paddle Sports



455 BAIT BOARD & ACCESSORY TRAY



133-16 WELL NUTS



368 UNIVERSAL FISHFINDER SOUNDER MOUNT



276 ANCHOR LOCK



429 GEAR HEAD MOUNT EXTENDER



257 TRIPLE MOUNT



797 ANCHOR KIT




130 PADDLE LEASH



438 GEAR HEAD TRACK ADAPTER



135 CAMERA MOUNT



440-8 LOW PROFILE TRACK  
440-4 LOW PROFILE TRACK  
440-1 LOW PROFILE TRACK



136 PADDLE CLIP



163 1 1/2" BALL MOUNT LARGE SOUNDER PLATE, POST AND SIDE DECK MOUNT



838 SEA LIGHT



835 SEA LIGHT WITH SUCTION CUP MOUNT



141 TRANSDUCER MOUNT



282 BAITCASTER SPINNING ROD HOLDER



311 CUP HOLDER



150 1" BALL MOUNT UNIVERSAL MOUNTING PLATE



151 1" BALL MOUNT GEAR HEAD AND TRACK



152 1" BALL MOUNT GEAR HEAD, POST AND SIDE DECK MOUNT

KAYAK







Paddle Sports

SUP

STAND UP PADDLE BOARD



135  
CAMERA MOUNT



341  
GLUE ON MOUNT  
●●



455  
BAIT BOARD & ACCESSORY TRAY  
●●



152  
1" BALL MOUNT GEAR HEAD POST  
AND SIDE DECK MOUNT



429  
GEAR HEAD MOUNT EXTENDER



282  
BAITCASTER SPINNING ROD HOLDER



241  
SIDE DECK MOUNT  
●●●



136  
PADDLE CLIP  
●●●





# SUP

## STAND UP PADDLE BOARD

**345**  
2" GLUE/STICK ON MOUNT



**436**  
STAND UP PADDLE BOARD LEASH  
PLUG ADAPTER  
The adapter attaches to your SUP  
pre-installed leash plug with a stainless  
steel j hook. Accepts all post mount  
rod holders and accessories.



**348**  
3" GLUE/STICK ON MOUNT



**445**  
2" GLUE/STICK ON MOUNT  
438 Gear Head.



**443**  
3" GLUE/STICK ON MOUNT  
Flexible D-Ring.



**342**  
GLUE/STICK ON PADDLE CLIP



**130**  
PADDLE LEASH  
Attaches to your paddle, fishing rod or  
anything else you wish to secure to the  
watercraft.



**341**  
GLUE-ON MOUNT  
●●







EXTENSIONS & ADAPTERS





# Accessories



**206**  
4 FT. ALUMINUM LANDING NET  
with 30" hoop.  
**207**  
6 FT. ALUMINUM LANDING NET  
with 30" hoop.  
**215**  
REPLACEMENT NET BAG  
(not shown).



**210**  
**NET MINDER**  
A quick release and tangle free system for netting fish.



**225**  
24" GAFF  
**226**  
30" GAFF



**302**  
**KAYAK STABILIZER**  
Over 30 lbs. of extra buoyancy. Our unique design makes installation and removal quick and easy.



**412**  
**REPLACEMENT POST**  
The replacement post fits all Scotty post mount rod holders.



**414**  
**OFFSET GEARS**  
Doubles your rod holder positions for ultimate versatility.



**415**  
**SLIP DISKS**  
Allows you to make micro adjustments to your rod holder or any Scotty post mount products.



**132**  
**EXTRA LONG GRIP MOUNTING RIVETS**  
These structural rivets are an excellent solution for mounting hardware where you don't have access to the back side of a fastener (10 pcs).



**327**  
**FENDER RINGS**  
Use to attach a fender to your Scotty post mounts (2 pcs).



**425**  
**ROD BUTT CUSHION**  
Universal rod butt tube allowing for simple rod to rod transfer.  
●●○



**133**  
**WELL NUT MOUNTING KITS**  
Securely fasten a multitude of products onto thin walled structures with ease. Available in 4, 16, or 100 pack options. Fasteners included.



**416**  
**ROD BALANCER/REST**  
Non-resistance approach encourages more efficient and successful strike to hook-sets when fishing.



**420**  
**REEL E-Z ROD HANDLE**  
Take the strain off of your wrist and back by changing the angle of your arm and the leverage of your fishing rod.

# FISHING ACCESSORIES

## Bait Jars



**652**  
Fluorescent red 1/2 L bait jar

**651**  
White 1 L bait jar

**671**  
White 1 L vented bait jar

**657**  
Fluorescent red 1 L bait jar

**650**  
White 1/2 L bait jar

**677**  
Fluorescent red 1 L vented bait jar

**672**  
Fluorescent red 1/2 L Vented bait jar

**670**  
White 1/2 L Vented bait jar



# Accessories



**278**  
**ANCHOR LOCK**  
Fixed mount.



**276**  
**ANCHOR LOCK**  
241 Side Deck Mount.



**277**  
**ANCHOR LOCK**  
244 Flush Deck Mount.



**797**  
**ANCHOR KIT**  
Anchor Kit for still water use only



**102**  
**STRONGBACK OARLOCKS**  
2 1/8" Standard Oar.

**104**  
**STRONGBACK OARLOCKS**  
1 3/4" Small Oar.



**101**  
**OAR COLLARS**  
Made from polyethylene. Quick and easy to install. 1 3/4" inside dia. can be trimmed to fit smaller oars (fasteners included).



**103**  
**OARLOCK POSTS**  
Adapt your post mount to a 1/2" oarlock socket.



**300BK**  
**TARP CLIPS** Black (4 pcs)

**300YL**  
**TARP CLIPS** Yellow (4 pcs)  
Quick and easy to use design with powerful locking jaws for the ultimate hold.

**301**  
**TARP CLIPS BULK/BUCKET**  
Black(60 pcs)



**990**  
**KNIFE SHARPENER**  
Safe and easy to use. Comes with rotatable carbide blades.



**3010**  
**SNAP HOOK KEY CHAIN**  
available colours.



**310**  
**CUP HOLDER**  
Gunnel mount **A** and **C**

**311**  
**CUP HOLDER**  
Post and Gunnel mount. **A** **B** and **C**

**309**  
**CUP HOLDER BUTTONS**  
**C** (2 pcs).



**125**  
**TUMBLER CUP**  
Holds up to 12 oz. dishwasher safe.



**590**  
**SNAP HOOKS** (6 pcs).

# BOAT ACCESSORIES



# Safety


ACR detachable, fully sealed LED C-Light™, bright 20 Lumen White LED for location assistance during emergencies. Easy twist ON/OFF activation that is waterproof tested. Impact resistant construction and is USCG/SOLAS approved. C-Light™ is easily removed and can be attached to life jackets, backpacks or hang from a pocket. C-Light™ requires two “AA” 1.5V batteries (batteries not included). C-Light™ has an extensive and continuous operating life for over 30 hours.

## 835 SEA-LIGHT WITH SUCTION CUP MOUNT

A non-permanent safety addition that is perfectly portable for kayaks and small watercraft. Designed to meet the demands of the sea but also ideal for within a vehicle, for camping and whenever a reliable high efficient light is needed. Includes versatile suction cup mount for use in both salt and fresh water.

## 838 SEA-LIGHT

The Scotty Ball System joint design enables a smooth and complete full range of motion for the Sea-Light. The corrosion proof construction of this system provides a long service life in both fresh and salt water applications as it is designed with stainless steel fasteners and a stainless pole. Base Mount Dimensions: 2 ¼ x 2 ¼ Overall Height: Stands 41” tall Sea-Light Pole Diameter: ½”.



# SAFETY EQUIPMENT



**803**  
12V WHITE NAVIGATION LIGHT  
Surface mount.

**806**  
12V RED NAVIGATION LIGHT  
Masthead base.



**780**  
SAFETY WHISTLE

**784**  
PEALESS SAFETY WHISTLE



**130**  
PADDLE LEASH



**774**  
WATERTIGHT STORAGE CONTAINER



**789**  
WATERTIGHT FIRST AID KIT



**793**  
RESCUE THROW BAG



**546**  
KAYAK PUMP FLOAT



**795**  
WATERTIGHT FLASHLIGHT



**779**  
SMALL VESSEL SAFETY  
EQUIPMENT KIT

# PUMPS



**545K**  
25½” O.A.L.  
KAYAK  
PUMP



**544K**  
18½” O.A.L.  
KAYAK  
PUMP

**545**  
25½” O.A.L.  
HAND  
PUMP



**548**  
39” O.A.L.  
HAND  
PUMP

**544**  
18½” O.A.L.  
HAND  
PUMP





scotty fishing products

All Posts People Photos Videos Pages Places Groups Apps

Filter Results

POSTS FROM

- Anyone
- You
- Your Friends and Groups
- Choose a Source...

POSTED IN GROUP

- Any group
- Your Groups
- Choose a Group...

TAGGED LOCATION

- Anywhere
- Victoria, British Columbia
- Ottawa, Ontario
- Choose a Location...

DATE POSTED

- Any date
- 2018
- 2017
- 2016
- Choose a Date...

Links

scotty | Leaders in manufacturing innovative fishing, marine and outdoor products.  
scotty.com  
about 9 years ago · 452 shares

Scotty Fishing Products | Outdoor Gear/sporting Goods | Sidney  
Scotty Fishing Products in Sidney - Contact details, Address, phone number, website, etc.  
ca.locale.online  
about 6 months ago

Scotty Fishing Products  
Scotty fishing products kayak accessories holders boats products  
yusron.loan  
about 2 months ago

See All

People

Scott Bulat  
Pro-Staff at Scotty Fishing Products Prostaff  
Pro-Staff at Northern King Lures  
Works at Outlaw Eagle Manufacturing Ltd

See All

Instagram

scottyproducts

1,276 posts 6,006 followers 534 following

Scotty® Fishing Products Use our hashtag #TheWayToFish for a featured! Manufacturing superior products in Sidney, BC since 1952! scottifishingproducts.blogspot.ca

Followed by edylezz

sportfishing.bc

hunter\_jump

The Way To Fish

Scotty® Products Retweeted

Big Coast @reallybigcoast · Feb 2  
@Kingfisherboats @YamahaMotorCa @ScottyProducts @IslanderReels  
@RaymarineInc @TourismBCNorth @boatingdreams Big Coast Season 10 on all networks this weekend...headed Southbound on BC Inside Passage to Hartley Bay, traditional territory of the GitGa'at Nation. #TheWayToFish

Scotty® Products @ScottyProducts · Feb 2  
Countless grants, research programs and events are supported by Pacific Salmon Foundation - Here is a great... fb.me/2GEJXTarD

Scotty® Products Retweeted

Forechero @ForeBanhero · Feb 24  
Wishing it was summer in Frederick Arm @ScottyProducts @IslanderReels

YouTube

Scotty Bell Mounting Systems  
4,220 views

Scotty Graphics  
Published on Apr 26, 2017

The new Scotty® Bell Mounting System provides a platform for a variety of Scotty accessories. The ball joint design enables a smooth and full range of motion. The corrosion proof construction of this system provides a long service life in both fresh and salt water.

Scotty Products' Latest Fish Finder Mounts  
7,571 views

Kayak Angler Magazine  
Published on Sep 30, 2018

Scotty has tons of new products that anglers are sure to love, but one of the coolest that we saw on the floors of ICAST was the transducer arm and fish finder mount that is fresh off the mold. Check it out now!

Scotty Baitcaster and Spinning Rod Holder | My Fishing Essentials  
2,508 views

Fishing with Rod  
Published on Nov 1, 2017

For more fishing video clips, please visit: http://www.fishingwithrod.com

Scotty's baitcaster and spinning rod holder is an awesome rod holder to have on your lake fishing.






# Jordan-Scotty

FISH EGG INCUBATOR SYSTEMS

64 [scottj.com](http://scottj.com)    

and walleye stocks in the streams and creeks around the world. Over the years, due to human interference, these habitats have lost their natural spawning and rearing capabilities. At Scotty, we hope that our efforts will assist bringing the fish back. With your help, future generations will be able to watch fish return to streams and rivers in historic quantities.

A man wearing a light-colored cap, a green vest over a long-sleeved shirt, and dark waders is wading in a shallow stream. He is holding a red plastic basket with both hands, positioned just below the water surface. A long, thin stick or pole is leaning against a large, moss-covered log behind him. The stream is surrounded by dense green vegetation and trees, with sunlight filtering through the canopy.





For information regarding factory  
authorized service centers, parts, and  
other information please contact:

**Scotty Fishing &  
Outdoor Products**

2065 Henry Ave West  
Sidney, British Columbia  
Canada V8L 5Z6

**Phone:** 250 656 8102  
**Toll Free:** 1 800 214 0141  
**Fax:** 250 656 8126  
**Email:** [scotty@scotty.com](mailto:scotty@scotty.com)

